



OCI AMMONIA DISTRIBUTION B.V.
Wolgaweg 31, 3198 LR Europoort Rotterdam
The Netherlands
T +31 46 7020203
info.OAD@oci-global.com

Revision Date: 2025-10-08 (R5)

Anhydrous Ammonia by OCI

Liquid-product specification			Typical value
Ammonia	% wt	min. 99.5	
Water	% wt	min. 0.1 – max. 0.5	0.2
Inert gas	ml / Nm³	max. 500	200
Oil	mg / kg	max. 10	
Iron	mg / kg	max. 1	
Sampling and analysis techniques			
Sampling	‘In-house method’ / ISO 7103		
Ammonia	100% - %water		
Water	Intertek 3223		
Inert gas	Intertek 2029		
Oil	Intertek 1549		
Iron	Intertek 1308		
Physical properties			
Formula			NH ₃
Molar mass			17.03
Critical temperature		°C	132.4
Critical pressure		bar	112.8
Gas density relative to air			0.59
Boiling point	at 1.0133 bar	°C	-33.4
Liquid density	-30 °C	kg/m³	680
	0 °C		637
	15 °C		620
	25 °C		603
Vapour pressure	-30 °C	bar	1.2
	0 °C		4.3
	15 °C		7.3
	25 °C		10.0

WARRANTY

The Product Data Sheet represents the only product warranty made regarding this product. This information is intended for use by persons having technical skills, at their own discretion and risk. Except as set forth above there are no warranties, express or implied, including warranties of merchantability or fitness for a particular purpose and seller shall not be liable for consequential damages.

All data, suggestions and information given herein are deemed to be accurate and reliable, but are presented without warranty (express or implied) of any kind. OCI Ammonia Distribution B.V. does not accept any liability in connection with this information or its use. It is the responsibility of each user to determine whether the information in this document is appropriate or suitable for their particular use, application or processing. Nothing in this document shall be deemed to alter or waive any provision of OCI Ammonia Distribution B.V.'s General Conditions of Sale or this disclaimer.