

Urea Ammonium Nitrate Solution (UAN) – 28%

Typical Chemical Properties	Minimum	Typical	Maximum
Total Nitrogen		28.0 wt %	
Free Ammonia	0.01 wt %	0.05 wt %	0.10 wt %
Ammonium Nitrate		36-42 wt %	
Urea		29-33 wt %	
Corrosion Inhibitor		80-130 ppm wt	

Typical Physical Properties	Minimum	Typical	Maximum
Density at 60°F (16°C)		10.68 lbs/gal (1.28 kg/L)	
Salt Out Temperature		0°F (-18°C)	

- **Please obtain a Safety Data Sheet (“SDS”) for this product for more information.** The SDS contains important information regarding the handling and storage of this product as well as environmental, health and safety information. Copies of the SDS can be obtained at www.iowafertilizer.com or by contacting your OCI Iowa Fertilizer representative.
- **Important Disclaimers:** The specifications described above are accurate to the best of OCI Iowa Fertilizer’s knowledge as of the date compiled. Grab samples may fall outside of those specifications. OCI Iowa Fertilizer makes no representation, warranty or guarantee as to the accuracy, reliability, completeness or timeliness of the specifications. The user is solely responsible for determining the suitability and completeness of the information contained in the specifications. OCI Iowa Fertilizer retains the right at any time to modify the properties and specifications of the listed products.
- **OCI IOWA FERTILIZER MAKES NO EXPRESS WARRANTIES HEREIN AND DISCLAIMS IN THEIR ENTIRETY THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE USER’S SOLE REMEDY AGAINST OCI IOWA FERTILIZER FOR LOSS OR DAMAGE SHALL BE LIMITED TO REPLACEMENT OF THE PRODUCT OR REFUND OF THE PURCHASE PRICE, AS DETERMINED BY OCI IOWA FERTILIZER IN ITS SOLE DISCRETION.** OCI Iowa Fertilizer shall have no liability for indirect, incidental or consequential damages, including, without limitation, damages for loss of revenue, lost profits, cost of capital, claims of customers for failure to supply and costs and expenses incurred in connection with removal of product, even if OCI Iowa Fertilizer was advised of such damages in advance.