

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 8/7/2023 Supersedes: 11/22/2022 Version: 5.0

SECTION 1: Identification

1.1. Identification

Product form : Substance Name Melamine

MelaminebyOCITM GPH Trade name MelaminebyOCITM GPH LD

MelaminebyOCITM SLP

Melafine®

1,3,5-Triazine-2,4,6-triamine **IUPAC** name

CAS-No. 108-78-1 Formula $C_3H_6N_6$

Synonyms : Cyanuramide; Cyanurotriamide; 2,4,6-Triamino-s-triazine

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Industrial use

White crystalline powder, used in high performance products like wood-based panels, laminates,

coatings, molding powders, concrete plasticizers and flame retardants

Restrictions on use Addition to food or feed products

1.3. Supplier

Supplier Supplier

OCI Nitrogen B.V. OCI Melamine Americas, Inc. 1 Poststraat C/O Advanced Louisiana Logistics Sittard, 6135 KR 501 Louisiana Avenue. Suite 201 The Netherlands Baton Rouge, LA 70802

T+31 (0) 46 7020205 USA

T +1 (225) 685 30 20 / 685 30 37 - F +1 (225) 685 30 03

info.melamine@oci-global.com - www.oci-global.com

Supplier

OCI Trading Shanghai 17N, Feizhou Guoji Building No. 899 Lingling Road Shanghai, 200030

China

T +86 (0)21 64415441 - F +86 (0)21 64415440

1.4. Emergency telephone number

Emergency number : Chemtrec: +1-800-424-9300 (24/7) & Alert & Care Centre Chemelot (Geleen, The Netherlands):

+31 (0) 46 4765555 (24/7)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Carcinogenicity Category 2 Suspected of causing cancer Reproductive toxicity Category 2 Suspected of damaging fertility

Specific target organ toxicity (repeated exposure)

Category 2

May cause damage to organs (urinary tract) through prolonged or repeated exposure

8/7/2023 (Revision date) 1/10 US - en

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning

Hazard statements (GHS US) : Suspected of causing cancer

Suspected of damaging fertility

May cause damage to organs (urinary tract) through prolonged or repeated exposure

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wear protective gloves, protective clothing, eye protection, face protection.

If exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name : Melamine CAS-No. : 108-78-1

| Name | Product identifier | Conc. (% w/w) |
|-------------------------------|--------------------|------------------|
| 1,3,5-Triazine-2,4,6-triamine | CAS-No.: 108-78-1 | 100 |

Full text of hazard classes and H-statements : see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation

First-aid measures after skin contact First-aid measures after eye contact

First-aid measures after ingestion

- : IF exposed or concerned: Get medical advice/attention.
- : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing stops, give artificial respiration. Get medical attention immediately if symptoms occur.
- : Wash skin with plenty of water and soap. Remove all contaminated clothing and footwear.
- : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if symptoms occur.
- : Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

8/7/2023 (Revision date) US - en 2/10

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Dust from this product may cause irritation to the respiratory tract.

Symptoms/effects after eye contact : Dust from this product may cause eye irritation.

Chronic symptoms : May damage fertility. Suspected carcinogen. May cause damage to organs (urinary tract)

through prolonged or repeated exposure.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically. Hazardous decomposition products in case of fire. Symptoms may be delayed. Consult an expert.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Fire hazard : The product is not flammable.

Hazardous decomposition products in case of fire : Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide,

Amines, Nitrogen oxides, Ammonia, Hydrogen cyanide > 600°C / 1112°F.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Do not breathe dust. Do not touch or

walk on the spilled product. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses. Avoid sub-soil penetration. Advise local authorities if considered necessary.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Avoid dust formation. Keep in suitable, closed containers for

disposal. Notify authorities if product enters sewers or public waters.

Other information : Dispose of waste product or used containers according to local regulations. Dispose of materials

or solid residues at an authorized site

6.4. Reference to other sections

Section 1, 8, 13.

8/7/2023 (Revision date) US - en 3/10

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear personal protective equipment. Ensure good ventilation of the work station. Avoid dust formation. Do not breathe dust. In case of insufficient ventilation, wear

suitable respiratory equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Remove contaminated clothes. Contaminated work clothing should not be allowed out

of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in accordance with local, regional, national or international regulation. Store in dry, well-

ventilated area. Store locked up.

Incompatible materials : Strong oxidizing agents.
Heat-ignition : Keep out of direct sunlight.

Storage area : (1) Do not stack big bags > 1000 kg. Do not stack more than two bulk bags <=1000 kg on top of

each other in connection with the risk of ripping. (2) 'MelaminebyOCI SLP' may not be stacked.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Melamine (108-78-1)

| 1110101111110 (100 10 | •/ |
|-----------------------|--------------------------|
| USA - ACGIH - Occu | pational Exposure Limits |

Local name Reference value: EU REACH - Derived No Effect Level (DNEL) - Worker - Long-term -

systemic effects, inhalation: 8.3 mg/m³

1,3,5-Triazine-2,4,6-triamine (108-78-1)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Minimise exposure using measures such as closed

systems, dedicated facilities and suitable general/local exhaust ventilation.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

When this substance/product is used in a mixture consult your industrial hygienist to adjust the personal protective equipment to the (hazard) properties of the mixture.

Hand protection:

Chemically resistant protective gloves. Efficiency of at least: 80%. To increase glove efficiency additional good practice is required, e.g. provision of training or management supervision.

| Туре | Material | Permeation | Thickness (mm) | Penetration |
|-------------------|--|-------------------|----------------|-------------|
| Protective gloves | Chloroprene rubber (CR), butyl rubber, Polyvinylchloride (PVC) | 6 (> 480 minutes) | 0.5 | |
| Protective gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | 0.35 | |
| Protective gloves | Fluoroelastomer (FKM) | 6 (> 480 minutes) | 0.4 | |

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Eye protection: | | | |
|--|-------------|-----------------|--|
| Туре | Use | Characteristics | |
| Safety glasses with side shields | Dust | | |
| Skin and body protection: | | | |
| Wear suitable protective clothing | | | |
| Туре | | | |
| Long sleeved protective clothing | | | |
| Respiratory protection: | | | |
| In case of inadequate ventilation wear respiratory protection. | | | |
| Device | Filter type | Condition | |
| Dust mask | Type FFP2 | Dust protection | |

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Crystalline powder

Color : White

Odor : Odorless Ammoniacal slight

Odor threshold : No data available

pH : 7.8 – 9.5 (10% aqueous suspension)

Melting point : 669 °F (with vaporization)

Freezing point : Not applicable

Boiling point : > 536 °F Decomposes

Flash point : > 536 °F (closed cup)

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Not flammable

Vapor pressure : $< 0.02 \text{ kPa} (@ 20^{\circ}\text{C} / 68^{\circ}\text{F})$

Density : 1.57 g/cm³

Molecular mass : 126.12 g/mol

Solubility : Slightly soluble.

Water: 0.348 g/100ml (@ 20°C / 68°F)

Partition coefficient n-octanol/water (Log Pow) : -1.14 (@ 25°C / 77°)

Auto-ignition temperature : > 932 °F

Decomposition temperature : > 536 °F

Viscosity, kinematic : Not applicable

Viscosity, dynamic : No data available

Explosion limits : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non oxidizing material

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

Other properties : Ignition temperature: ≥ 658 °C / 1216.4 °F.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat. Keep away from any flames or sparking source.

10.5. Incompatible materials

Oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition can lead to the release of irritating gases and vapors. Thermal decomposition generates: Carbon monoxide, Carbon dioxide, Nitrogen oxides, Amines, Ammonia, Hydrogen cyanide > 600°C / 1112°F.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) : Not classified

1,3,5-Triazine-2,4,6-triamine (108-78-1)

| LD50 oral rat | 3161 mg/kg body weight |
|-----------------------------|----------------------------------|
| LC50 Inhalation - Rat | > 5.19 mg/l/4h (OECD 403 method) |
| Claire annuaries limitation | . Net aleasified |

Skin corrosion/irritation : Not classified

pH: 7.8 - 9.5 (10% aqueous suspension)

Serious eye damage/irritation : Not classified

pH: 7.8 – 9.5 (10% aqueous suspension)

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

1.3.5-Triazine-2.4.6-triamine (108-78-1)

| 1,0,0=111d2H10=2,4,0=t1dHH110 (100=10=1) | | |
|--|--------------------------------------|--|
| LOAEL, Chronic, oral, rat | 126 mg/kg bw/day | |
| IARC group | 2B - Possibly carcinogenic to humans | |
| National Toxicity Program (NTP) Status | Evidence of Carcinogenicity | |
| In OSHA Hazard Communication Carcinogen list | Yes | |

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Reproductive toxicity | Suspected of damaging fertility |
|-----------------------|---|

| , | |
|--|---------------------------------|
| 1,3,5-Triazine-2,4,6-triamine (108-78-1) | |
| NOAEL (animal/male, F0/P) | 268 mg/kg body weight Fertility |
| NOAEL (animal/male, F1) | 89 mg/kg body weight Fertility |
| STOT-single exposure | Not classified |

STOT-repeated exposure : May cause damage to organs (urinary tract) through prolonged or repeated exposure.

1,3,5-Triazine-2,4,6-triamine (108-78-1)

NOAEL (oral,rat,90 days) 72 mg/kg bodyweight/day

Aspiration hazard : Not classified Viscosity, kinematic : Not applicable

Symptoms/effects after inhalation : Dust from this product may cause irritation to the respiratory tract.

Symptoms/effects after eye contact : Dust from this product may cause eye irritation.

Chronic symptoms : May damage fertility. Suspected carcinogen. May cause damage to organs (urinary tract)

through prolonged or repeated exposure.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

| 1,3,5-Triazine-2,4,6-triamine (108-78-1) | | | |
|---|--|--|--|
| LC50 fish 1 > 3000 mg/l Oncorhynchus mykiss | | | |
| EC50 Daphnia 1 200 mg/l Daphnia magna | | | |
| EC50 96h - Algae [1] 325 mg/l Pseudokirchneriella subcapitata | | | |
| NOEC chronic fish | ≥ 5.1 mg/l Pimephales promelas (36d), OECD Guideline 210 | | |
| NOEC chronic crustacea | ≥ 11 mg/l (21d) Daphnia magna | | |
| NOEC chronic algae | 98 mg/l Species: Pseudokirchneriella subcapitata | | |
| NOEC, microorganisms | 2000 mg/l | | |

12.2. Persistence and degradability

Persistence and degradability Not readily biodegradable. Not inherently biodegradable.

12.3. Bioaccumulative potential

| Melamine (108-78-1) | | |
|---|---------------------------|--|
| Partition coefficient n-octanol/water (Log Pow) | -1.14 (@ 25°C / 77°) | |
| 1,3,5-Triazine-2,4,6-triamine (108-78-1) | | |
| BCF fish 1 | < 3.8 l/kg | |
| Bioaccumulative potential | Bioaccumulation unlikely. | |

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil

| 1,3,5-Triazine-2,4,6-trian | nine (| (108-78-1) |
|----------------------------|--------|------------|
|----------------------------|--------|------------|

Organic Carbon Normalized Adsorption Coefficient (Log Koc)

1.13 Quantitative structure-activity relationship (QSAR)

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste)

: Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

: Recycling is preferred to disposal or incineration. Do not re-use empty containers without proper

cleaning or reconditioning. Avoid release to the environment.

SECTION 14: Transport information

Product/Packaging disposal recommendations

In accordance with DOT / TDG / IMDG / IATA

| DOT | TDG | IMDG | IATA | |
|--------------------------------------|----------------|----------------|----------------|--|
| 14.1. UN number | | | | |
| Not regulated for transport | | | | |
| 14.2. Proper Shipping Name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | |
| No supplementary information availab | ble | | | |

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

1,3,5-Triazine-2,4,6-triamine (108-78-1)

Listed on IARC (International Agency for Research on Cancer)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 8/7/2023

Training advice : Training staff on good practice. Ensure staff are informed of and trained on the nature of

exposure and basic actions to minimise exposure.

| Abbreviations and acronyms | | |
|----------------------------|---|--|
| PBT | Persistent Bioaccumulative Toxic | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ICAO | International Civil Aviation Organization | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 | |
| DNEL | Derived-No Effect Level | |
| PNEC | Predicted No-Effect Concentration | |
| EC50 | Median effective concentration | |
| NOEC | No-Observed Effect Concentration | |
| BCF | Bioconcentration factor | |
| IMDG | International Maritime Dangerous Goods | |
| IATA | International Air Transport Association | |

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Abbreviations and acronyms | | |
|----------------------------|---|--|
| DMEL | Derived Minimal Effect level | |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 | |
| IARC | International Agency for Research on Cancer | |
| EC-No. | European Community number | |
| EN | European Standard | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| OECD | Organisation for Economic Co-operation and Development | |
| STP | Sewage treatment plant | |
| CAS-No. | Chemical Abstract Service number | |
| NOAEL | No-Observed Adverse Effect Level | |

Indication of changes:

Classification. Label elements. Toxicological information.

SDS US (GHS HazCom 2012) - RHDHV